GREATER BRISBANE PUBLIC OUTPATIENT

Request form / Referral



REFERRER: Fax both sides of

Queensland X-Ray is offering **REDUCED WAIT TIMES** for public patients. Images sent back into selected PACS and report faxed to department.

referral to 07-3421-8088. We will contact patient to make booking. Patient Details DOR: Date: Queensland X-Ray will go through any questionnaires and preparation with Name: your patient prior to the study. Address: Phone: OR **Diagnostic Request Modality** PATIENT: To make a booking ☐ MRI (specify region below & tick clinical indication ☐ Bone Densitometry (tick clinical indication on back on back of form) email both sides of referral to ☐ Plain X-Ray □ Nuclear Medicine bookings@qldxray.com.au OR call ☐ CT Scan ☐ Procedures 1300-781-926 OR visit www.qldxray.com.au ☐ CTCA (see back of form for criteria) ☐ Bionsies ☐ **Ultrasound** (specify region & clinical details below) ☐ Spinal injections (tick option, specify level and side below) ☐ Ultrasound Liver ☐ Facet joint inj: Level____ ___ Side _ Tick for IMAGE TRANSFER: ☐ Mammography ☐ Nerve root inj Level _ Side ☐ Mater Public ☐ OCH □ RBWH ☐ Epidural steroid inj Level_ □ EOS imaging $\hfill \Box$ Guided injections (specify region and clinical detail below) □ PAH □ Redcliffe □ Redlands Ipswich Region to be investigated / Reason for referral and clinical history ☐ Other (please specify) **Additional Patient Information** ☐ Diabetic Melanoma Known renal Impairment Previous contrast reaction **Public Hospital Outpatient** PET/CT Medicare rebateable studies are below. Please tick which items apply. **PET/CT** All PETCT scans include relevant diagnostic CT □ opt out, low dose CTAC only Indication Diagnose ☐ Restage ☐ RT Planning ☐ Stage ■ Monitor ■ Clinical Trial ☐ Primary/Suspected site _ ☐ Histopathology Head & Neck ☐ 61523 Solitary Pulmomary Nodule - Diagnosis ☐ 61529 NSCLC - Staging ☐ 61598 Staging ☐ 61604 Restaging 61640 Bone or Soft Tissue Sarcoma - Staging ☐ 61646 Sarcoma - Restaging ☐ 61610 Metastatic SCC unknown primary - Staging Gastrointestinal ☐ 61541 Colorectal - Restaging☐ 61577 Oesophageal/GOJ - Staging ☐ 61538 Brain - Restaging ☐ 61559 Epilepsy - Evaluation☐ 61560 Alzheimer's - Diagnosis ☐ 61524 PET Breast - Stage III, Staging 61647 Gastroenteropancreatic NET -Diagnosis - DOTA Peptide PET ☐ 61525 PET Breast - Restaging Lymphoma Melanoma Prostate
☐ 61563 PSMA Intermediate to high-risk, staging ☐ 61553 Restaging 61620 Staging 61622 First Line Surveillance - during treatment Gynaecology ☐ 61564 PSMA Restaging 61632 Second Line Surveillance 61565 Ovarian - Restaging ☐ 61628 Restaging after recurrence Rare or uncommon Cancer ☐ 61571 Uterine Cervix - Staging ☐ 61612 Initial Staging ☐ 61575 Uterine Cervix - Restaging 61614 Following initial therapy Practitioner's name: Please provide both Consultant and Referring Practitioner's Details Queensland X-Ray Internal Use Only RMO details for bulk billing to apply. Hospital: Consultant's signature not required. **Medical Imaging Final Check** Yes No Department: Consultant name: Pregnant Front Office Check Patient Identification verified Procedure and consent verified Provider number: Phone: Correct side and site verified Signature: Correct patient data and side markers RMO or Registrar name: Tech initials: Date: Team leader signature:

11/24

Copy to:

GREATER BRISBANE PUBLIC OUTPATIENT

Request form / Referral

PATIENT LABEL

For specialised studies please tick the relevant clinical indications box below.

REFERRER: Fax both sides of ☐ MRI Liver Confirmed extra-hepatic primary malignancy (other than HCC) & CT liver is negative/inconclusive of referral to 07-3421-8088. We will metastatic disease & identification of liver metastases would change treatment planning (63545) $\begin{tabular}{ll} \hline \textbf{MRI Liver} & \textbf{Known / suspected hepatocellular carcinoma \& chronic liver disease \& liver function Child-Pugh \\ \hline \end{tabular}$ contact patient to make booking. class A/B; & Hepatic lesion >10mm (63546) Queensland X-Ray will go through any ☐ MRI Enterography to evaluate small bowel Crohn's disease (63740) questionnaires and preparation with ☐ MRI Enteroclysis for Crohn's disease using the placement of NG tube (63741) ☐ MRI Pancreas/biliary tree (MRCP) for suspected biliary or pancreatic pathology (63482) your patient prior to the study. ☐ MRI for fistulating perianal Crohn's disease FOR evaluation of pelvic sepsis and fistulas (63743) **Pelvis MRI** ☐ MRI Pelvis for the investigation of a) sub fertility that requires one or more of the following: i. an investigation of suspected Mullerian duct anomaly seen in pelvic ultrasound or HSG ii. an assessment of uterine mass identified on pelvic ultrasound before consideration of surgery iii. an investigation of recurrent implantation failure in IVF; or b) surgical planning of a patient with known or suspected deep endometriosis involving the bowel, bladder or ureter where the results of pelvic ultrasound are inconclusive (63563) ☐ MRI Pelvis for staging of histologically diagnosed cervical cancer at FIGO stages 1B or greater (63470) ☐ MRI Pelvis & Upper Abdomen for staging of histologically diagnosed cervical cancer at FIGO stages 1B or greater (63473) ☐ MRI Pelvis for initial staging of rectal cancer (63476) ☐ MRI of both breasts where the patient has a breast lesion, AND the results of conventional imaging examinations are inconclusive for the presence of breast cancer, nas not been possible. **(63531)** ☐ MRI of both breasts where the patient has been diagnosed with breast cancer, AND discrepancy exists between clinical assessment and conventional imaging assessment, AND the results of breast MRI may alter treatment planning (63533) ☐ MRI of both breasts for the detection of cancer (63464) Where the patient is asymptomatic younger than 60 years of age and is either at high risk of developing breast cancer, due to one or more of the following: genetic testing has identified the presence of a high risk breast cancer gene mutation in the patient or in a first degree relative of the patient; both: A. 1 or more 1st or 2nd degree relatives was diagnosed with breast cancer at age 45 years or younger; AND B. Another 1st or 2nd degree relative on the same side of the patient's family diagnosed with bone or soft tissue sarcoma at age 45 years or younger iii. had onset of breast cancer before the age of 50 years iv. has a personal history of mantle radiation therapy v. has a lifetime risk estimation greater than 30% or a 10 year absolute risk estimation greater than 5% using a clinically relevant risk evaluation algorithm. Prostate MRI for diagnosis (63541) ☐ a) DRE suspicious for prostate cancer; or 🗖 b) Less than 70 years, at least two prostate specific antiqen (PSA) tests performed within an interval of 1-3 months are greater than 3.0 ng/ml, and the free/total PSA ratio is less than 25% or the repeat PSA exceeds 5.5 ng/ml; or 🗅 c) Less than 70 years, whose risk of developing prostate cancer based on family history is at least double the average risk, at least two PSA tests performed within an interval of 1-3 months are greater than 2.0 ng/ml, and the free/total PSA ration is less than 25%; or 🗖 d) 70 years or older, at least two PSA tests performed within an interval of 1-3 months are greater than 5.5 ng/ml and the free/total PSA ratio is less than 25%. Prostate MRI for surveillance (63543) Patient has not had a diagnostic mpMRI and is placed on active surveillance following a confirmed diagnosis of prostate cancer by biopsy histopathology; and is not planning or undergoing treatment for prostate cancer. CT Coronary Angiogram (57360) ☐ Patient has stable or acute symptoms consistent with coronary ischemia is at low to intermediate risk of an acute coronary event. CT Coronary Angiogram (57364) ☐ At least one of the following apply to the patient: Patient has stable symptoms and newly recognised LV systolic dysfunction of unknown aetiology Requires exclusion of a coronary anomaly or fistula iii. Undergoing non coronary cardiac surgery iv. Requires assessment of the patency of coronary bypass grafts **Myocardial Perfusion Study** a) The patient has symptoms of cardiac ischemia; and □ b) At least one of the following applies i. the patient has body habitus or other physical conditions (including heart rhythm disturbance) to the extent that a stress echocardiography would not provide adequate information ii. the patient is unable to exercise to the extent required for a stress echocardiography to provide adequate information iii. the patient has had a failed stress echocardiography For more information please see: https://www.qldxray.com.au/referrers/resources/medicare-information Bone Densitometry (tick indication below) ☐ 12 mths+ since prior BMD. 12 mths since significant change in therapy (12321) ☐ First BMD, age 70+ □ 5 years since prior BMD, age 70 years+ with no to mild osteopenia (T-score 0 to -1.5) on prior BMD (12320) 12 mths+ since prior BMD ☐ Male hypogonadism ☐ Female hypogonadism > 6mths before age 45

□ 24 mths+ since prior BMD. Age 70+ and has moderate to marked osteopenia (T–score -1.5 to -2.5) on prior scan. (12322)

☐ Primary hyperparathyroidism

☐ Prolonged glucorticoid therapy (as per MBS)

☐ Conditions associated with thyroxine excess

☐ Monitoring osteoporosis proven by prior BMD (12306)

☐ 1 or more fractures after minimal trauma

Queensland X-Ray stores your images for FIVE years. Visit us for all your medical imaging and create a complete and highly secure five-year electronic radiology record which your doctor can access 24/7.

ensland X-Ray Pty Ltd and Queensland X-Ray Hospital Partnership No 23 trading as Qu

(please also tick description)
24 mths+ since prior BMD

(please also tick description)

24 mths+ since prior BMD

(please also tick description)



☐ Conditions associated with excess glucocorticoid secretion (12312)

☐ Rheumatoid arthritis ☐ Chronic liver / renal disease (12315)

☐ Proven malabsorptive disorders (Crohns, Coeliac)

Scans 2 years+ with T score -1.50 or lower, or a T score -2.50 or lower



